


Delock 3.5" / 5.25" USB 3.0 Hub 4 Port

Description

This hub by Delock can be installed into a 3.5" or 5.25" bay of the PC. It will be connected internally via a USB 3.0 pin header male on the motherboard. Up to four USB devices, e.g. docking stations, card readers, external enclosures etc. can be connected. One USB 3.0 Type-A female supports the Battery Charging and Fast Charge function, e.g. to charge a smartphone faster. The slide switch can be used to select whether this port is to be used as a fast charging port or as a data port with a simple charging function.



for 3.5" or
5.25" bay

Specification

- Connectors:
 - external:
 - 3 x USB 3.0 Type-A female
 - 1 x USB 3.0 Type-A female - Battery Charging specification BC1.2
 - internal:
 - 1 x USB 3.0 Type-B female
 - 1 x 4 pin power connector
 - 1 x SATA 15 pin power connector
- 1 slide switch for the Battery Charging Port
- Chipset: VLI VL811
- Data transfer rate up to:
 - SuperSpeed USB 5 Gbps,
 - Hi-Speed 480 Mbps,
 - Full-Speed 12 Mbps,
 - Low-Speed 1.5 Mbps
- Cable data: 1 x USB 3.0 Type-B female to 1 x 19 pin USB 3.0 pin header female, length ca. 62 cm
- Hot Swap, Plug & Play

System requirements

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux ex Kernel 2.6.x / Kernel 4.x.x, Mac OS 10.9
- PC with a free 3.5" or 5.25" bay
- Mainboard with a free 19 pin USB 3.0 pin header male
- Power supply with a free 4 pin Molex or 15 pin SATA power connector

Package content

- 3.5" Hub USB 3.0
- 5.25" frame
- USB 3.0 cable
- Screws
- User manual

Item no. 62903

EAN: 4043619629039

Country of origin: China

Package: Retail Box



Images



General	
Form factor:	3.5" 5.25"
Function:	Battery Charging BC1.2 Hot Plug Hot Swap
Supported operating system:	Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit ex Linux Kernel 2.6.x ex Linux Kernel 4.x.x ex Mac OS 10.9
Interface	
External:	4 x USB 3.0 Type-A female
Internal:	1 x USB 3.0 Type-B female 1 x 4 pin power connector 1 x SATA 15 pin power connector
Technical characteristics	
Chipset:	VLI VL811
Data transfer rate:	USB 3.0 up to 5 Gb/s
Physical characteristics	
Colour:	black