

**Model # MS-RSAPC81242 --- 800(width)x1200(depth) mm x 42U height**

**With 4x cooling fans, 2x vertical cable rack in both sides, 4x heavy duty castors and stand**

**Loading Capacity -----1300kgs**



## Specification

- \*Material: SPCC cold rolled steel;
- \*Thickness: mounting profile 2.0mm, mounting angle 1.5mm, others 1.2mm.
- \*Dimension **800mm (width)x1200mm (depth) x 1992.44mm (height, included castors)**
- \*Color: RAL9004 /Black /Loading Capacity: 1300KG
- \***1 front perforated mesh door with handle lock; (75% ventilation rate mesh doors)**
- \***1x rear dual open perforated mesh door with handle lock; (75% ventilation rate mesh doors)**
- \***4x removable side doors with locks (2 sections)**
- \***4x cooling in the top plate**
- \***2x vertical cable rack in both left & right side**
- \***4x heavy duty castor and floor stand**
- \*W/ bottom plate + cable entry cover.
- \*W/ Flat packing (Dis-assembled type) with solid strong carton package.
- \*Fully Accessories available by Optional (Fix shelf / sliding shelf / PDU / ..etc )
- \***40 sets M6 square screw and nuts package included**
- \* OEM /ODM welcome –Logo printing or any kinds modification are welcome according customer requested.

**\*Front perforated door**



**\*Rear dual open perforated door**



**\*2x section side door**



**\*800mm width with 2 x vertical cable rack**




**\*with 4xcooling fan in the top**



\*2 way in Bottom -1) w/4x triangle plate or ,2) with complete bottom plate & cable entry cover



\*Drawing (Front perforated metal door / 2 section side metal door / rear perforated dual open metal door)



Drawing ( Top plate with 4 cooling fans and bottom plate with cable entry )

